

EU TYPE DECLARATION OF CONFORMITY PERSONAL PROTECTIVE EQUIPMENT REGULATION (EU) 2016/425

This declaration of Conformity is issued under the sole responsibility of the manufacturer Portwest Unlited Company, IDA Industrial Park, Westport, Co. Mayo, F28 FY88, Ireland. Reg. 21284 declares that the following Personal Protective Equipment (PPE)

FT60 - COMPOSITE LEATHER AND MESH TRAINER S1P SRC



is in conformity with the provisions of PPE Regulation (EU) 2016/425 (Cat II) and satisfies the essential health and safety requirements set out in Annex II and the relevant harmonised standard(s):

EN ISO 20345: 2011 S1P (SRC)

The PPE is identical to the model subject to the EU type examination certificate (Module B) referenced in certificate number

0075/2085/161/03/22/0646 EXT 05/03/22

Issued by: CTC

4, rue Hermann Frenkel, 69367, Lyon, Cedex 07, France (0075)

Signed for and on behalf of Portwest

A handwritten signature in blue ink, reading "Ray Carney".

Raymond Carney

Chief Operations Officer

Date: 2024-02-21

PACKAGING DOCUMENT OF CONFORMITY

This declaration of Conformity is issued under the sole responsibility of the manufacturer Portwest Unlimited Company, IDA Industrial Park, Westport, Co. Mayo, F28 FY88, Ireland. Reg. 21284 declares that packaging containing **FT60 - Composite Leather and Mesh Trainer S1P SRC** is in conformity with the provisions of the Packaging and Packaging Waste Regulation EU 2025/40.

FT60 - COMPOSITE LEATHER AND MESH TRAINER S1P SRC



Portwest Unlimited Company verifies compliance by requesting Declarations of Compliance, test reports and material data sheets from our suppliers and defining the specification and material composition of packaging components.

Signed for and on behalf of Portwest

A handwritten signature in blue ink, appearing to read 'Lucy Fallon'.

Lucy Fallon
Head of Product

Date: 11/08/2026



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/2085/161/03/22/0646 EXT 05/03/22

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : Portwest UC
IDA Industrial Park, Westport, Co Mayo F28 FY88, Ireland

IRELAND

Description

PPE Type : a safety footwear
Product reference : FT60
Article code : BKY,BKB
Construction and material of outsole : INJECTION / PU/PU OUTSOLE

Pictures :



FT60 BKY



FT60 BKB



FT60 BKY



FT60 BKB

PORTWEST® Westport, County Mayo F28F88, Ireland		
EU 42	UK 8	US 9
CE UK EN ISO 20345:2011 CA S1P SRC		
FT60 BKY		LOT: DATE:
RN 142543 Made in China		

Reference standard : EN ISO 20345:2011

Classification : I **Category :** S1 P SRC

Size range : 35-50 **Slip resistance :** SRC

Toecap nature : Non Metallic **Insert nature :** Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from February 2024 and the user instructions index N°Edition A1.2022.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Didier GUISSADO
Certification deputy director



Date of first issue : 30 March 2022
End of validity date : 30 March 2027
Date of update01: 21 February 2024



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Portwest UC

MANUFACTURER'S TECHNICAL FILE

Reference of the product : FT60

Article code : BKY,BKB

Technical file index : 02

Last update : February 2024

IDENTIFICATION

Reference of the product : FT60
Article Code : BKY,BKB
Major variant of model : FD61 BKR; FD61 WHR
Technical file index : 02
Last update : February 2024

Manufacturer :

Portwest UC

IDA Industrial Park, Westport, Co Mayo F28 FY88, Ireland

IRELAND

tel : +353 (98) 26411

fax :

Factory :

Zhejiang Xincaihong Footwear Co., Ltd

No. 12 Xincaihong Road, Nanpian Industrial Area, Quxi Town, Ouhai District, Wenzhou City China

CHINA

Tel : 0577-86100878

Fax : 0577-86100882

ZHEJIANG XINCAIHONG PROTECTIVE EQUIPMENT CO., LTD

NO.4908 BINHAI 3RD LANE,AIRPORT NEW ZONE,YONGXING STREET,LONGWAN DISTRICT, WENZHOU, ZHEJIANG,

CHINA

Tel : 86-577-56956788

Fax : 86-577-86100878

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



FT60 BKY



FT60 BKB

Outsole view :



FT60 BKY



FT60 BKB

Reference of the mould : 9200

Range of sizes :

35-50

Construction and material of outsole :

INJECTION / PU/PU OUTSOLE

Field of use

construction, warehouse, supermarket - mechanical risk

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§1.4	Manufacturer's instructions and information is available	☒	☐	Standard
			☒	Instruction for use
			☐	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	☒	☒	Standard
			☒	Instruction for use
			☐	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	☒	☒	Standard
			☒	Instruction for use
			☐	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§2.14	Multi-risk PPE	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.2	The PPE is intended to protect against static compression of a part of the body	☒	☒	Standard
			☒	Instruction for use
			☒	Marking
§3.3	The PPE is intended to protect against mechanical injuries	☒	☒	Standard
			☒	Instruction for use
			☒	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	LB319	OXFORD FABRIC	GREY,BLACK
	G26	EMBOSSSED ACTION COW SPLIT LEATHER	BLACK
COLLAR	LB319	OXFORD FABRIC	GREY,BLACK
	G26	EMBOSSSED ACTION COW SPLIT LEATHER	BLACK
TONGUE	LB319	OXFORD FABRIC	GREY,BLACK
	G26	EMBOSSSED ACTION COW SPLIT LEATHER	BLACK
VAMP LINING	LB211	NON-WOVEN FABRIC	WHITE
QUARTER LINING	LB149	SANDWICH MESH(seat region & quarter lining/tongue lining)	BLUE,YELLOW
INSOCK	STYLE1	terry + EVA with micro-perforated removable insock	black/grey
OUTSOLE	9200	PU/PU DAUL DENSITY OUTSOLE	BLACK/BLUE,BLACK/YELLOW
INSOLE	FL109	KEVLAR INSERT	WHITE/ORANGE
TOE CAP	604 NON-METAL	COMPOSITE TOECAP	WHITE
INSERT	FL109	KEVLAR INSERT	WHITE/ORANGE
DECORATIVE ELEMENTS		PU(UPPER ORNAMENT)	BLACK/BLUE,BLACK/YELLOW
		PLASTIC EYELET	BLACK,BLACK&YELLOW
		WEBBING(EYELET)	BLACK/BLUE,BLACK/YELLOW

PROTECTION SCOPE

Basic requirements :

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipment - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345:2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345:2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Penetration resistance

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo 
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference FT60
- * Article code BKY,BKB
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : tongue lining

Method of marking on the footwear :

Stitching on inside tongue

Packaging :

1 pr per box, 10 prs per carton

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References
CTC	D170101277_2	CTC	D210302558_1
CTC	D170405038_1	CTC	D210509071_1
CTC	D171222477_1	CTC	D210609922_1
CTC	D171222889_1	CTC	D210610075_1
CTC	D180508269_1	CTC	D210714178_1
CTC	D180713248_1	CTC	D210917199_1
CTC	D181121055_1	CTC	D211019485_1
CTC	D190713251_2	CTC	D211121285_1
CTC	D190814623_1	INTERTEK	GZHT90791159
CTC	D200506225_1	INTERTEK	GZHT90827982

MEANS OF CONTROL

1.To control the quality of raw materials follow the methods below:

We asked our suppliers to test their upper leather for Cr VI, PH and DMFu by themselves; asked lining suppliers to check tear strength, especially abrasion resistance; and the suppliers for toecaps and insert need to test impact/compression and penetration resistance for their components...after all raw material can reach relevant requirement, we will accept them and use in mass production.

2. During development, we will take some samples to check the main physical properties, such as impact, compression, slip resistance, antistatic and so forth, in order that we can control the quality from development and will avoid some additional troubles in the following steps; if the result can meet requirement, we will process forward; otherwise we need pay more attention to development for the better shoes;

3. We control the whole procedure from cutting to package. Every step, relevant QC will check the quality, the semi-finished goods and finished shoes will be discarded if cannot reach requirement of quality. Of course we take some samples from line to test bond strength, impact ect to confirm the mass production are under control. Finally, before shipment, the QC will perform the final inspection randomly, the shoes will be delivered in case the result is acceptable.

4.When do bulk the production each batch, we shall pick up some shoes from producing site randomly to test impact, compression, antistatics, leather CR VI.... to control the quality to match the requirment of standand EN ISO20345:2011."

PPE subject to ageing :

Peremption period : 4 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : www.portwest.com/declaration